IN THE CLAIMS:

Claim 1. (previously amended)   A system comprising:

a plurality of certificate authorities (CAs) in which each CA maintains and distributes digital certificates revoked by itself in the form of a certificate revocation list (CRL), and different CAs may use different CRL distribution mechanisms;

a plurality of CRL databases for storing the consolidated CRLs from multiple CRL retrieval agents and/or the replications of CRLs, the CRL databases storing at least one individually identifiable revoked digital certificate; and

a CRL access user interface for providing a uniform set of APIs for users accessing the CRLs in the CRL database, said system enabling consolidation and access of the certificate revocation lists (CRLs) from the plurality of certificate authorities (CAs).

Claim 2. (original)   A system according to claim 1, wherein said plurality of CRL databases include a central CRL database and a plurality of CRL replication databases, said central CRL database for storing the consolidated CRLs from the multiple CRL retrieval agents, and said plurality of CRL replication databases for storing the replications of the CRLs of the central CRL database.

Claim 3. (original)   A system according to claim 1, wherein said plurality of CRL retrieval agents include a LDAP/CRL retrieval agent, for periodically retrieving CRLs from specified LDAP servers and updating the CRL databases.

Claim 4. (original)   A system according to claim 1, wherein said plurality of CRL retrieval agents include a HTTP/CRL retrieval agent, for periodically retrieving CRLs from specified HTTP servers and updating the CRL database.

Claim 5. (original)   A system according to claim 1, wherein said plurality of CRL retrieval agents include a RFC1424/CRL retrieval agents, for periodically sending RFC1424/CRL retrieval request and receiving CRL retrieval reply.

Claim 6. (original)   A system according to claim 1, wherein said plurality of CRL retrieval agents include a Http retrieval agent

triggered by a HTTP request, said Http receiver agent verifies an authorization of the requester, if successful, said agent stores each
5   transmitted CRL in the CRL databases.

Claim 7. (original)   A system according to claim 1, wherein said plurality of CRL retrieval agents further verifies the integrity and the authenticity of the retrieved CRLs.

Claim 8. (original)   A system according to claim 1, wherein a particular replication architecture is used among said plurality of CRL databases in order to maintain database consistency.

Claim 9. (previously amended)   A system according to claim 2, wherein a hub-and-spoke replication architecture is used among said central CRL database and said plurality of CRL replication databases.

Claim 10. (original)   A system according to claim 1, wherein said system is also adapted for consolidating and accessing at least one kind of black list.

Claim 11. (previously amended)   In a secure network implemented by digital certificates, a method for certificate revocation list (CRL) consolidation and access, wherein a plurality of certificate authorities (CAs) maintain and distribute the digital
5   certificates revoked by themselves in the form of CRLs, and different CAs may use different CRL distribution mechanisms, said method comprising the steps of:

creating a plurality of CRL retrieval agents based on the CRL distribution mechanisms of CAs, for consolidating the CRLs from
10   multiple CAs;

storing the consolidated CRLs from multiple CRL retrieval agents or the replications of CRLs into a plurality of CRL databases, the consolidated CRLs including at least one individually identifiable revoked digital certificate; and
15   accessing the CRLs from the CRL databases by a uniform set of APIs.

Claim 12. (original)   A method according to claim 11, said plurality of CRL databases include a central CRL database and a plurality of CRL replication database, said central CRL database for

storing the consolidated CRLs from multiple CRL retrieval agents and

5   said plurality of CRL replication database for storing the

replications of the CRLs of the central database.

Claim 13. (original)   A method according to claim 11, wherein said method is also adapted for consolidation and accessing all kinds of black lists.

Claim 14. (previously amended)   An article of manufacture comprising a computer usable medium having computer readable program code means embodied therein for causing certificate revocation list (CRL) consolidation and access, the computer readable program code

5   means in said article of manufacture comprising computer readable program code means for causing a computer to effect the steps of claim 11.

Claim 15. (original)   A computer program product comprising a computer usable medium having computer readable program code means embodied therein for causing certificate revocation list (CRL) consolidation and access, the computer readable program code means in

5   said computer program product comprising computer readable program code means for causing a computer to effect the steps of claim 11.

Claim 17. (original)   A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for certificate revocation list (CRL) consolidation and access, said method steps comprising the

5   steps of claim 11.

Claim 18. (previously amended)   A method comprising:

employing a secure network implemented by digital certificates for certificate revocation list (CRL) consolidation and access, with a plurality of certificate authorities (CAs) maintaining and

5   distributing the digital certificates revoked by themselves in the form of CRLs, wherein different CAs may use different CRL distribution mechanisms, including the steps of:

creating a plurality of CRL retrieval agents based on the CRL distribution mechanisms of CAs, for consolidating the CRLs from

10   multiple CAs;

storing the consolidated CRLs from multiple CRL retrieval agents or the replications of CRLs into a plurality of CRL databases, the consolidated CRLs including at least one individually identifiable revoked digital certificate; and

15   accessing the CRLs form the CRL databases by a uniform set of APIs.

Claim 19. (original) A program storage device readable by machine, tangibly embodying a program of instructions executable by the machine to perform method steps for certificate revocation list (CRL) consolidation and access, said method steps comprising the

5   steps of claim 18.

Claim 20. (original) An article of manufacture comprising a computer usable medium having computer readable program code means embodied therein for causing certificate revocation list (CRL) consolidation and access, the computer readable program code means in

5   said article of manufacture comprising computer readable program code means for causing a computer to effect the steps of claim 18.

Claim 21. (original) A computer program product comprising a computer usable medium having computer readable program code means embodied therein for causing certificate revocation list (CRL) consolidation and access, the computer readable program code means in said computer program product comprising computer readable program code means for causing a computer to effect the steps of claim 18.